



BCMT

Bright Care Machinery Trading Ilc.

New Dimensions of Construction Equipment

Excellence.. Speed.. Innovation.. Loyalty





INTRODUCTION

We are Bright Care Machinery Trading Company LLC, in the fields of construction and building Equipment in the United Arab Emirates since 2015.

Since the beginning, BCM dealt with major and well-known manufacturers and suppliers in ITALY, Germany, Spain, England, Malaysia, Singapore and China.

BCM was and always remains one of the LEADING TRUSTABLE suppliers in this field. Our bases in Abu Dhabi are responsible to cover all the other emirates in the country.

We instill the same values in all our employees to ensure that our clients continue to receive the same level of service at all times. We have successfully trained professionals

ready to provide you with a quality service. We take pride in our product knowledge, positive can do attitude and provide timely delivery.

BCM – Bright Care Machinery Trading


Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE

Email: brightcaremt@gmail.com – brightcaremt@outlook.com





CORE BUSINESS

- Importing
- Retail sale of Construction and Building Equipments, Machinery and Outfits.
- On-shore and Off-Shore oil and Gas Fields and Facilities Services.





MACHINES	SPECIFICATIONS																							
	<table border="1"> <thead> <tr> <th colspan="3" data-bbox="927 464 1928 539">AMMANN VIBRATING PLATES FORWARD</th> </tr> <tr> <th data-bbox="927 539 1339 592">Model</th> <th data-bbox="1339 539 1644 592">APF 15/50</th> <th data-bbox="1644 539 1928 592">APF 20/50</th> </tr> </thead> <tbody> <tr> <td data-bbox="927 592 1339 651">Operating Weight</td> <td data-bbox="1339 592 1644 651">84 kg</td> <td data-bbox="1644 592 1928 651">88 kg</td> </tr> <tr> <td data-bbox="927 651 1339 703">Working Width</td> <td data-bbox="1339 651 1644 703">50 cm</td> <td data-bbox="1644 651 1928 703">50 cm</td> </tr> <tr> <td data-bbox="927 703 1339 756">Centrifugal Force</td> <td data-bbox="1339 703 1644 756">15 kN</td> <td data-bbox="1644 703 1928 756">20 kN</td> </tr> <tr> <td data-bbox="927 756 1339 809">Frequency</td> <td data-bbox="1339 756 1644 809">100 Hz</td> <td data-bbox="1644 756 1928 809">90 Hz</td> </tr> <tr> <td data-bbox="927 809 1339 861">Engine</td> <td data-bbox="1339 809 1644 861">Honda GX 120</td> <td data-bbox="1644 809 1928 861">Honda GX 160</td> </tr> </tbody> </table>			AMMANN VIBRATING PLATES FORWARD			Model	APF 15/50	APF 20/50	Operating Weight	84 kg	88 kg	Working Width	50 cm	50 cm	Centrifugal Force	15 kN	20 kN	Frequency	100 Hz	90 Hz	Engine	Honda GX 120	Honda GX 160
AMMANN VIBRATING PLATES FORWARD																								
Model	APF 15/50	APF 20/50																						
Operating Weight	84 kg	88 kg																						
Working Width	50 cm	50 cm																						
Centrifugal Force	15 kN	20 kN																						
Frequency	100 Hz	90 Hz																						
Engine	Honda GX 120	Honda GX 160																						
	<table border="1"> <thead> <tr> <th colspan="3" data-bbox="927 927 1928 1002">AMMANN VIBRATING RAMMERS</th> </tr> <tr> <th data-bbox="927 1002 1339 1054">MODEL</th> <th data-bbox="1339 1002 1644 1054">ATR68 C</th> <th data-bbox="1644 1002 1928 1054">ACR 70D</th> </tr> </thead> <tbody> <tr> <td data-bbox="927 1054 1339 1114">Operating Weight</td> <td data-bbox="1339 1054 1644 1114">68 kg</td> <td data-bbox="1644 1054 1928 1114">83 kg</td> </tr> <tr> <td data-bbox="927 1114 1339 1166">Working width</td> <td data-bbox="1339 1114 1644 1166">28 cm</td> <td data-bbox="1644 1114 1928 1166">28 cm</td> </tr> <tr> <td data-bbox="927 1166 1339 1219">Centrifugal Force</td> <td data-bbox="1339 1166 1644 1219">13 kN</td> <td data-bbox="1644 1166 1928 1219">16 kN</td> </tr> <tr> <td data-bbox="927 1219 1339 1272">Percussion Rate</td> <td data-bbox="1339 1219 1644 1272">680 bpm</td> <td data-bbox="1644 1219 1928 1272">730 bpm</td> </tr> <tr> <td data-bbox="927 1272 1339 1324">Engine</td> <td data-bbox="1339 1272 1644 1324">Honda 4-Stroke</td> <td data-bbox="1644 1272 1928 1324">Yanmar- Diesel</td> </tr> </tbody> </table>			AMMANN VIBRATING RAMMERS			MODEL	ATR68 C	ACR 70D	Operating Weight	68 kg	83 kg	Working width	28 cm	28 cm	Centrifugal Force	13 kN	16 kN	Percussion Rate	680 bpm	730 bpm	Engine	Honda 4-Stroke	Yanmar- Diesel
AMMANN VIBRATING RAMMERS																								
MODEL	ATR68 C	ACR 70D																						
Operating Weight	68 kg	83 kg																						
Working width	28 cm	28 cm																						
Centrifugal Force	13 kN	16 kN																						
Percussion Rate	680 bpm	730 bpm																						
Engine	Honda 4-Stroke	Yanmar- Diesel																						

MACHINES



SPECIFICATIONS

SIMPEDIL STEEL BAR CUTTING MACHINE

MODEL	C36	C42	C52	C54 EVO
Motor	Electric, 4 HP, 3phase	Electric, 4 HP, 3phase	Electric, 5.5 HP, 3phase	Electric, 5.5 HP, 3phase
Max. Cutting Diameter	30mm At Bar Strength 65kg/mm ²	34mm At Bar Strength 65 kg/mm ²	44mm At Bar Strength 65kg/mm ²	46mm At Bar Strength 65 Kg /mm ²
	26mm At Bar Strength 85kg/mm ²	30mm At Bar Strength 85kg/mm ²	36mm At Bar Strength 85kg/mm ²	40mm At Bar Strength 85 Kg /mm ²
RPM	90	90	40	37
Weight (kg)	475	605	730	630



SIMPEDIL STEEL BAR BENDING MACHINE

MODEL	P36	P42	P52
Motor	Electric, 4 HP, 3phase	Electric, 4 HP, 3phase	Electric, 5.5 HP, 3phase
Max. Bending Diameter	32mm At Bar Strength 65 Kg /mm ²	36mm At Bar Strength 65 Kg /mm ²	42mm At Bar Strength 65 Kg /mm ²
	30mm At Bar Strength 85 Kg /mm ²	34mm At Bar Strength 85 Kg /mm ²	38mm At Bar Strength 85 Kg /mm ²
RPM	9	6	6
Weight (kg)	355	490	575

MACHINES



SPECIFICATIONS

KING PORTABLE TILTING DRUM CONCRETE MIXER

MODEL	Junior	Senior
Motor	Electric, 1phase, 0.3 KW	
Drum Capacity	140 Litre	
Work Capacity	100 Litre	
Effective Output	65 Litre	
Drum Diameter	400 mm	
Drum R.P.M.	23/ min	
Net Weight	55 kg	58 Kg



BMT HARLOW CONCRETE MIXER

MODEL	350L	430L
Diesel Engine	Lombardini Diesel model 15LD350	Lombardini Diesel model 15LD350
Electric Motor	Single phase- 1.5HP 3phase- 2 HP	Single phase- 1.5HP 3phase- 2 HP
Mixing Capacity	350 Liter	430 Liter
Ready Mixed Concrete	280 Liter	340 Liter
Weight w/o Engine	280 Kg	320 Kg
	4 Pneumatic Wheels	
	Towing Bar	

MACHINES



SPECIFICATIONS

MANTA BLOCK CUTTER

Model	ED50-600
Electric Motor	5.5 HP, 3phase
RPM	2800
Cutting Depth	21 cm
Diamond Blade Dia.	600 mm



NOUVA BLOCK CUTTER

Model	EXPERT 600
Electric Motor	5.5 HP, 3phase
RPM	1400
Cutting Depth	22 cm
Diamond Blade Dia.	600 mm

MACHINES



SPECIFICATIONS

BATMATIC INTERLOCK CUTTER



Model	T-41
Cutting Width	41 cm
Max. Cutting Height	11 cm
Overall Dimension	77x60x13 cm
Weight	42 kg



KING WOOD CUTTER

MODEL	BSC 350
Motor	Electric, 3phase, 5.5 HP, 415 V
Blade Diameter	350 mm
Rotation Speed	2800 R.P.M.
Adjustable Cutting Blade Height	



MACHINES	SPECIFICATIONS												
	<table border="1"> <thead> <tr> <th colspan="2" data-bbox="898 491 1966 560">TOKU PETROL PLATE COMPACTOR</th> </tr> </thead> <tbody> <tr> <td data-bbox="898 560 1518 612">MODEL</td> <td data-bbox="1518 560 1966 612">TKL-80</td> </tr> <tr> <td data-bbox="898 612 1518 665">Engine</td> <td data-bbox="1518 612 1966 665">Robin Petrol EY-20, 5HP</td> </tr> <tr> <td data-bbox="898 665 1518 718">Plate Size</td> <td data-bbox="1518 665 1966 718">42 cm x 52 cm</td> </tr> <tr> <td data-bbox="898 718 1518 770">Operating Weight</td> <td data-bbox="1518 718 1966 770">80 Kg</td> </tr> <tr> <td data-bbox="898 770 1518 823">Centrifugal Force</td> <td data-bbox="1518 770 1966 823">1.4 Ton</td> </tr> </tbody> </table>	TOKU PETROL PLATE COMPACTOR		MODEL	TKL-80	Engine	Robin Petrol EY-20, 5HP	Plate Size	42 cm x 52 cm	Operating Weight	80 Kg	Centrifugal Force	1.4 Ton
TOKU PETROL PLATE COMPACTOR													
MODEL	TKL-80												
Engine	Robin Petrol EY-20, 5HP												
Plate Size	42 cm x 52 cm												
Operating Weight	80 Kg												
Centrifugal Force	1.4 Ton												
	<table border="1"> <thead> <tr> <th colspan="2" data-bbox="898 951 2000 1019">FUJI DIESEL PLATE COMPACTOR</th> </tr> </thead> <tbody> <tr> <td data-bbox="898 1019 1518 1072">MODEL</td> <td data-bbox="1518 1019 2000 1072">FC-90</td> </tr> <tr> <td data-bbox="898 1072 1518 1125">Engine</td> <td data-bbox="1518 1072 2000 1125">Robin Diesel DY23, 5HP</td> </tr> <tr> <td data-bbox="898 1125 1518 1177">Plate Size</td> <td data-bbox="1518 1125 2000 1177">54 cm x 44 cm</td> </tr> <tr> <td data-bbox="898 1177 1518 1230">Operating Weight</td> <td data-bbox="1518 1177 2000 1230">120 Kg</td> </tr> <tr> <td data-bbox="898 1230 1518 1283">Centrifugal Force</td> <td data-bbox="1518 1230 2000 1283">1.8 Ton</td> </tr> </tbody> </table>	FUJI DIESEL PLATE COMPACTOR		MODEL	FC-90	Engine	Robin Diesel DY23, 5HP	Plate Size	54 cm x 44 cm	Operating Weight	120 Kg	Centrifugal Force	1.8 Ton
FUJI DIESEL PLATE COMPACTOR													
MODEL	FC-90												
Engine	Robin Diesel DY23, 5HP												
Plate Size	54 cm x 44 cm												
Operating Weight	120 Kg												
Centrifugal Force	1.8 Ton												

MACHINES



TOKU PETROL POWER TROWEL

Model	VPT-900
TrowelDiameter	900mm
Blade Dimension(LxW)	350mmx150mm
TrowelSpeed	130r.p.m.
Engine	RobinEY-20D
EngineType	Air-cooled Gasoline
Rated Output (hp/r.p.m.)	3.5/3600
StartingSystem	Recoil
Weight(kg)	88
Dimension(LxWxH)(mm)	1970x950x1000



STARTECH PETROL POWER TROWEL

Model	PT90B5	PT90B6
Transportation Dimension (WxLxH) mm	1000x2050x1040 mm	1000x2050x1040mm
Transportation Weight (kg)	81kg	82 kh
Blade Diameter (mm)	915 mm	915 mm
Engine	Gasoline, 5.5 HP	Gasoline, 6.5 HP
Fuel Tank	3.6 lt.	3.6 lt.
Fuel Consumption	1.4 lt/hr	1.7 lt/hr

MACHINES



SPECIFICATIONS

TOKU CONCRETE AND ASPHALT CUTTER

Model	TKC-350
Blade Size(inch)	12-16
Max. Cutting Dept mm(inch)	150(6)
Water Tank Capacity(litres)	25
Engine	RobinEX-27D, Air Cooled.
Max. Output(hp/rpm)	10.0/4000-9.0/4000
Engine Starting System	Recoil
Machine Weight(kg)	100
L×W×H (mm)	1530× 600× 960



KING ASPHALT AND CONCRETE CUTTER

Model	GL600
Engine	Lombardini Diesel Model 12LD, 18HP, 2 Cyl
Max. Cutting Depth	210 mm
Max. Diameter for fitting Disk	600 mm
Diameter of Disk Shaft	25.4 mm
Weight with Water Tank	250 kg
Water Tank	50 lt

BCM – Bright Care Machinery Trading

Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE

Email: brightcaremt@gmail.com – brightcaremt@outlook.com

MACHINES



SPECIFICATIONS

ROBIN PETROL CONCRETE VIBRATOR DRIVE UNIT

Model	EY-20
Max. Output Power	5 HP
Weight	25 kg.

Made in Malaysia



ROBIN DIESEL CONCRETE VIBRATOR DRIVE UNIT



Model	YANMAR L48N6
Max. Output Power	4.7 HP
Displacement	219 cc
Start Mechanism	Recoil
Weight	50 kg.

BCM – Bright Care Machinery Trading

Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE

Email: brightcaremt@gmail.com – brightcaremt@outlook.com



MACHINES	SPECIFICATIONS				
	TOKU PENDULUM TYPE- CONCRETE VIBRATORS				
	MODEL	TCV-32	TCV-38	TCV-45	TCV-60
	Vibrator Head Diameter×Length(mm)	32× 480	38× 500	45× 505	60× 505
	Flexible Shaft Diameter×Length (mm×m)	Ø10× 6.0	Ø10× 6.0	Ø12× 6.0	Ø10× 6.0
	Rubber Hose Diameter×Length (mm×m)	Ø28× 6.0	Ø28× 6.0	Ø32× 6.0	Ø32× 6.0
	Amplitude(mm)	1.2	1.6	2.0	2.4
	Vibration per Minute (v.p.m)	9000-12500	9000-12500	9000-12500	9000-12500
Overall Weight(kg)	17.0	17.5	18.0	23.5	
	LAE PENDULUM TYPE- CONCRETE VIBRATORS				
	MODEL	XE32/06D	XE38/06D	XE45/06D	XE60/06D
	Compacting Power	6m/h	7m/h	9m/h	15m/h
	Needle Length	420 mm	520 mm	520 mm	600 mm
	Centrifugal Force	125 kg	160 kg	230 kg	310 kg
	Amplitude(mm)	1.2	1.5	1.9	2.5
	Vibration per Minute (v.p.m)	12000			
Overall Weight(kg)	17.0	17.5	18.0	23.5	

BCM – Bright Care Machinery Trading
Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE
 Email: brightcaremt@gmail.com – brightcaremt@outlook.com

MACHINES



SPECIFICATIONS

ENAR ELECTRIC VIBRATOR

Model	VPAM
Motor	Electric, Single Phase
Max. Output Power	1.5 HP
Weight	12 kg
Universal Coupling	
Made in Spain	



ENAR BEAM VIBRATOR

Model	TORNADO E3000	GR4T 3000
Motor	Electric, Single Phase	Robin Petrol, 1.2 HP
Beam Length	3m	4m
Weight	19kg	18kg
Centrifugal Force		150 kp
Made in Spain		

BCM – Bright Care Machinery Trading

Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE

Email: brightcarent@gmail.com – brightcarent@outlook.com



MACHINES		MACHINES	
			
			

BCM – Bright Care Machinery Trading
Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE
Email: brightcaremt@gmail.com – brightcaremt@outlook.com

MACHINES



MACHINES



BCM – Bright Care Machinery Trading
Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE
Email: brightcaremt@gmail.com – brightcaremt@outlook.com



MACHINES		MACHINES	
			
			

BCM – Bright Care Machinery Trading
Tel: 971554434495 – 971552282163 - Abu Dhabi – UAE
Email: brightcaremt@gmail.com – brightcaremt@outlook.com